

E-Maj

-

With this PostgreSQL extension,
let your data travel back in time

French acronym for

"Enregistrement des Mises A Jour"

i.e. "updates recording"

E-Maj, what is it for?

- E-Maj allows the data content to **travel back in time**, with a table level granularity
- By recording updates on sets of application tables, it is possible to
 - **Count** them (statistic function),
 - Easily **view** them (audit function),
 - **Revert** them ("rollback" function),
 - **Replay** them (script generation, or revert a revert...)
- Usable with
 - applications in test or in production
 - databases of all sizes

The gains

- In **test** environment
 - Helps the application tests management by providing a quick way to
 - Examine updates generated by the application, for debugging purpose
 - Cancel updates generated by the application in order to easily repeat tests
- In **production** environment
 - Allows to cancel processings
 - Without being obliged to save and restore the instance by `pg_dump/pg_restore` or by physical copy
 - With a finer granularity
 - Avoids to loose entire batch processing nights by helping the recovery after failure
 - Very interesting with large tables and few updates

The components

- **E-Maj**, the heart
 - A PostgreSQL extension
 - Open Source, under GPL licence
 - Download from pgxn.org - <https://pgxn.org/dist/e-maj/>
 - Sources available on github.com - <https://github.com/beaud76/emaj>
- 2 **web clients**
 - The Emaj_web application - https://github.com/beaud76/emaj_web
 - A plug-in for phpPgAdmin - https://github.com/beaud76/emaj_ppa_plugin
- The online **documentation**
 - In English (or French) - <https://emaj.readthedocs.io/en/stable/>



The characteristics which drove the design

- **Reliability**
 - Absolute data integrity after updates cancellation
 - Management of all usual objects (tables, sequences, constraints,...)
- **Ease of use** for DBAs, production people, application developers and testers, ...
 - Easy to understand and use
 - Easy to integrate into an automatized production (thus scriptable)
- **Performance**
 - Limited log overhead
 - Acceptable “rollback” duration
- **Security**
- **Maintainability**


Concepts

- **Tables Group** = a set of tables and/or sequences belonging to one or several schemas and having the same life cycle ; it's the only object manipulated by users
- **Mark** = stable point in the life of a tables group, whose state can be set back ; identified by a name
- **E-Maj Rollback** = positioning of a tables group at a previously set mark state
 - NB: this concept is different from the transaction rollbacks performed by the RDBMS
 - a “RDBMS-rollback” cancels the current transaction
 - a “E-Maj rollback” cancels updates from several committed transactions


Concepts (addon)

- By default, a tables group is created as “**rollbackable**”
- A tables group may be created as “**audit-only**”
 - E-Maj rollbacks are not possible
 - But
 - TRUNCATE are recorded and not blocked
 - A table may have no declared PRIMARY KEY

An updates recording based on triggers



Main objects



emaj_viewer
role



emaj_adm
role

Management of application sequences

- Sequence increments are not individually recorded
- At set mark time
 - The state of each sequence of the group is stored into an internal table
- At E-Maj rollback time
 - Each sequence is reset to its state recorded at the targeted mark

Install E-Maj

- Download and unzip the extension
- Install : `sudo make install`
- Log on the target database as super-user and execute
 - `CREATE EXTENSION IF NOT EXISTS dblink;`
 - `CREATE EXTENSION IF NOT EXISTS btree_gist;`
 - `CREATE EXTENSION emaj;`
- The installation adds to the database
 - 1 schema, named 'emaj', with about 110 functions, 15 technical tables, 8 types, 1 view, 1 sequence, 2 event triggers
 - 2 roles

Initialization

- Populate the `emaj_group_def` table to define the tables groups content
 - 1 row per application table/sequence
 - At least `grpdef_group`, `grpdef_schema` and `grpdef_tblseq` columns
- For each group:
 - `SELECT emaj_create_group (group, is_rollbackable);`
 - Creates for each application table:
 - 1 log table + 1 sequence
 - 1 trigger + 1 log function
 - NB: `SELECT emaj_drop_group (group)`
 - ... drops an existing group

The 3 main functions to manage groups

- “Starting” a group
 - `emaj_start_group (group, mark)`
activates the log triggers and sets a first mark
- Setting a mark
 - `emaj_set_mark_group (group, mark)`
sets an intermediate mark
- “Stopping” a group
 - `emaj_stop_group (group [,mark])`
deactivates the log triggers => a rollback is not possible anymore
- The % character in a mark name represents the current date and time

Examine logs

- Examining log tables may largely help the application debugging
- Each application table has its own log table
 - by default `emaj.<schéma>_<table>_log`
- A log table contains
 - The same columns as its related application table
 - And some technical columns
- A single row change in an application table generates
 - 1 log row for an INSERT (image of the new row)
 - 1 log row for a DELETE (image of the old row)
 - 2 log rows for an UPDATE (image of the old and the new rows)
- A TRUNCATE generates a single log row

Log tables technical columns

- 8 technical columns at the end of each log row
 - `emaj_verb` : SQL statement type - INS/UPD/DEL/TRU
 - `emaj_tuple` : row type - OLD/NEW
 - `emaj_gid` : internal sequence number
 - `emaj_changed` : time of the update - `clock_timestamp()`
 - `emaj_txid` : transaction identifier - `txid_current()`
 - `emaj_user` : connection role of the client - `session_user`
 - `emaj_user_ip` : client ip address - `inet_client_addr()`
 - `emaj_user_port` : client ip port - `inet_client_port()`
- It is possible to identify clients and transactions, and analyze the timing of the program execution

Counting updates


- 2 statistical functions
 - `emaj_log_stat_group (group, start_mark, end_mark)`
quickly returns an estimate of recorded updates
 - by table
 - between 2 marks (or between 1 mark and the current state)
 - `emaj_detailed_log_stat_group (group, start_mark, end_mark)`
scans log tables and returns precise statistics on their content
 - by table
 - by statement type (INSERT / UPDATE / DELETE)
 - by ROLE
 - between 2 marks (or between 1 mark and the current state)

Cancel updates : the “simple” rollback


- A “rollback” function allows to reset a tables group in the state it had at a given mark
 - `emaj_rollback_group (group, mark, false)`
- How this works
 - Log triggers are deactivated during the operation
 - Each table is reset to its mark state using an optimised algorithm
 - Application sequences are reset to their mark state
 - Takes into account the foreign keys, if any
 - The canceled logs and marks are deleted
 - => all what is after the rollback mark is forgotten

An optimised rollback algorithm

- It processes each primary key value only once



A typical E-Maj usage (production batch processing)




Cancelling updates : the “logged” rollback

- Different from the “simple” rollback
 - Log triggers are NOT deactivated during the operation
=> the updates generated by the rollback are recorded
 - Cancelled logs et marks are NOT deleted
- So we can revert an E-Maj rollback ! And more generally let a tables group travel back and forth in time !
- 2 marks are automatically set before and after the rollback
 - `RLBK_<marque cible>_<HH.MI.SS.MS>_START`
 - `RLBK_<marque cible>_<HH.MI.SS.MS>_DONE`
- During the rollback, tables remain accessible in read mode

A typical E-Maj usage in test environment

- 4 processings to test in sequence
- After test 3, a new version of processing 2 must be re-tested
- Then perform the remaining tests



Estimating an E-Maj rollback duration

- In order to know if we have enough time to perform the operation or if another way to recover would be more efficient
- A function estimates the time needed to rollback a group to a given mark
 - `emaj_estimate_rollback_group (group, mark)`

Executing a parallel E-Maj rollback

- A php client performs rollbacks with parallelism
 - `emajParallelRollback.php -d <database> -h <host> -p <port> -U <user> -W <password> -g <group_name or groups_list> -m <mark> -s <nb_sessions> [-l]`
- Automatically spreads the tables to process into a given number of parallel sessions
- All sessions belong to a single transaction (2PC)
 - => `max_prepared_transaction` >= nb sessions
- Needs php with its PostgreSQL extension

Monitoring E-Maj rollbacks in execution

- A function
 - `SELECT * FROM emaj.emaj_rollback_activity ();`
 - returns
 - The characteristics of rollbacks (group, mark...)
 - Their state
 - Their current duration
 - An estimate of the remaining duration and the already executed %
- Needs to setup the value of the “`dblink_user_password`” parameter in the `emaj_param` table

Monitoring E-Maj rollbacks

- A php client to monitor the executing or completed rollbacks
 - `emajRollbackMonitor.php -d <database> -h <host> -p <port> -U <user> -W <password> -n <nb_iterations> -i <refresh_rate_in_seconds> -l <nb_completed rollbacks> -a <completed_rollbacks_history_depth_in_hours>`


```
E-Maj (version 2.2.0) - Monitoring rollbacks activity
-----

04/09/2017 - 12:07:17
** rollback 35 started at 2017-09-04 12:06:21.474217+02 for groups {myGroup1}
   status: COMMITTED ; ended at 2017-09-04 12:06:21.787615+02
-> rollback 36 started at 2017-09-04 12:04:31.769992+02 for groups {group1232}
   status: EXECUTING ; completion 89 % ; 00:00:20 remaining
-> rollback 37 started at 2017-09-04 12:04:21.894546+02 for groups {group1233}
   status: LOCKING ; completion 0 % ; 00:22:20 remaining
```

Consolidate a “logged” rollback


- “Consolidate” a rollback means transform a “logged rollback” into a “simple rollback”
- Intermediate logs and marks are deleted, recovering some place in the logs
 - `emaj_consolidate_rollback_group (groups, end_rollback_mark)`
- Tables can be updated during the consolidation
- A function returns the list of consolidable rollbacks
 - `emaj_get_consolidable_rollbacks ()`

Example of E-Maj rollback consolidation



Being protected against unattended E-Maj rollbacks


- 2 functions to manage the protection of a tables group
 - `emaj_protect_group (group)`
 - `emaj_unprotect_group (group)`
- 2 functions to manage the protection of a mark
 - `emaj_protect_mark_group (group, mark)` blocks any attempt to rollback to a mark prior the protected mark
 - `emaj_unprotect_mark_group (group, mark)`



Exporting from an E-Maj environment

- Generate a sql script replaying the recorded updates between 2 marks, for some or all tables and sequences of a group
 - `emaj_gen_sql_group (group, start_mark, end_mark, dest_file [,tables/seq_list])`
- Snap on files in a given directory, by COPY, all tables and sequences of a group
 - `emaj_snap_group (group, directory, copy_options)`
- Snap on files in a given directory, by COPY, a part of log tables and sequences of a group
 - `emaj_snap_log_group (group, start_mark, end_mark, directory, copy_options)`
- Useful in test to compare several executions of a processing or to “replicate” the updates produced by a processing

The tables group life cycle



Modifying the groups structure

- 2 steps
 - Modify the content of the `emaj_group_def` table (insert/delete rows, change attributes)
 - Call the function `emaj_alter_group (group)`
- The tables group must be stopped before calling the function, to
 - Add a table or a sequence
 - Modify the structure of an application table
- The tables group may remain in logging state, to
 - Modify attributes in `emaj_group_def`
 - Remove a table or a sequence from the group

Processing several groups in a single operation

- Some “multi-groups” variants of functions
 - `emaj_start_groups (groups_array, ...)`
 - `emaj_stop_groups (groups_array, ...)`
 - `emaj_set_mark_groups (groups_array, ...)`
 - `emaj_rollback_groups (groups_array, ...)`
 - `emaj_logged_rollback_groups (groups_array, ...)`
 - `emaj_gen_sql_groups (groups_array, ...)`
 - `emaj_alter_groups (groups_array, ...)`
- Allows to get marks shared by several groups
- Both PostgreSQL syntaxes for groups arrays
 - `ARRAY['group 1', 'group 2', ...]`
 - `'{"group 1", "group 2", ... }'`

Managing marks

- Comment a mark for a group (add/modify/suppress)
 - `emaj_comment_mark_group (group, mark)`
- Rename a mark
 - `emaj_rename_mark_group (group, old_name, new_name)`
- Delete a mark
 - `emaj_delete_mark_group (group, mark)`
 - If the deleted mark is the first one, logs prior the second one are deleted
- Delete all marks prior a given mark
 - `emaj_delete_before_mark_group (group, mark)`
 - Deletes logs prior the mark (it may take a long time...)

Managing mark (2)

- Search for marks
 - `emaj_find_previous_mark_group (group, date-time)` returns the mark immediately preceding a given date and time
 - `emaj_find_previous_mark_group (group, mark)` returns the mark immediately preceding a given mark
- “`EMAJ_LAST_MARK`” represents the last set mark for a group
 - Usable for all parameters defining an existing mark

Other actions on groups

- Comment a group (add/modify/suppress)
 - `emaj_comment_group (group, comment)`
- Purge log tables of a stopped group (anticipating its next restart)
 - `emaj_reset_group (group)`
- Force a group stop (in case of problem with the normal stop function)
 - `emaj_force_stop_group (group)`

Other actions

- Verify the good health of the E-Maj installation
 - `emaj_verify_all ()`

Temporary or permanent logging?

- **Temporary logging** = steps like
 - `emaj_start_group()`
 - repeat
 - processing
 - `emaj_set_mark()`
 - `emaj_stop_group()`
 - At next start, old logs are purged
 - But stops and starts set very heavy locks
- **Permanent logging** = no repeated group stop/restart
 - Obsolete data in log tables must be regularly deleted, using the `emaj_delete_before_mark()` function
 - The deletion can be costly if the volume of log to delete is big

For large databases...

- Log tables and indexes can be stored into **tablespaces**
 - Can be configured for each table in `emaj_group_def`
- Log objects can be located into dedicated **secondary schemas**
 - Can be configured for each table in `emaj_group_def`
 - These schemas are automatically created and dropped by E-Maj

To ensure the reliability

- No change in the PostgreSQL engine
- Many systematic **checks**, in particular at group start, mark set or rollback times:
 - Do all required tables, sequences, functions and triggers exist?
 - Consistency of columns between the application tables and the related log tables (existence, type)?
- Heavy **locks** on tables at `start_group`, `set_mark_group` and `rollback_group`, to be sure that no transaction is currently updating application tables
- Rollback all tables and sequences by a single **transaction**

To ensure the reliability (2)

- **TRUNCATE** statements are blocked for active “rollbackable” groups
- For PostgreSQL version ≥ 9.3 , “**event triggers**” block unintentional drops or some component changes (tables, sequences, functions...)
 - 2 functions to deactivate/reactivate the lock-in
 - `emaj_disable_protection_by_event_triggers ()`
 - `emaj_enable_protection_by_event_triggers ()`

To contribute to the security

- 2 NOLOGIN roles whose rights may be granted:
 - `emaj_adm` for the E-Maj administration
 - `emaj_viewer` to just look at E-Maj objects (logs, marks, statistics)
- E-Maj objects are only created and handled by a super-user or a member of the `emaj_adm` role
- No other right has to be granted on E-Maj schemas, tables and functions
- Log triggers are created with the “SECURITY DEFINER” attribute
- No need to give additional rights to application tables or sequences

Performances

- Log overhead
 - Highly depends on hardware and on the application read/write SQL ratio
 - Typically a few % on elapse times
 - But can be much higher on pure data loading
- Rollback duration
 - Of course depends on the number of updates to cancel
 - Also highly depends on
 - The hardware configuration
 - Tables structure (row sizes, indexes, foreign keys, other constraints...)
 - But almost always shorter than a logical restore

2 web clients

- 2 clients with same functionalities, to help administrators and users
 - Independant client **Emaj_web**
 - **Plug-in** totally integrated into **phpPgAdmin (5.1+)**
- Shows all E-Maj objects (groups, marks...) and their attributes
- Allows all possible actions on E-Maj objects

PostgreSQL 9.5.10 running on localhost:5432 -- You are logged in as user "postgres" SQL | History | Logout

Emaj_web: PostgreSQL: emaj_220:

E-Maj env. Groups conf. Groups Rollback op.

09:11:42 E-Maj 2.2.0 - Tables groups list

Tables groups in "LOGGING" state :

Group	Creation date/time	# tables	# sequences	Type	# marks	Actions						Comment		
<input type="checkbox"/> myGroup1	14/12/2017 15:52:33	5	1		3	Detail	Stop	Set a mark	Rollback	Protect		Alter	Set a comment	Useless comment!
<input type="checkbox"/> myGroup2	14/12/2017 15:52:33	4	2		4	Detail	Stop	Set a mark			Unprotect	Alter	Set a comment	

Actions on multiple lines

Select all / Unselect all --> Set a mark Execute

Tables groups in "IDLE" state :

Group	Creation date/time	# tables	# sequences	Type	# marks	Actions						Comment		
<input type="checkbox"/> phi's group#3	14/12/2017 15:52:33	2	1		0	Detail	Start	Reset	Drop	Alter	Set a comment			

Actions on multiple lines

Select all / Unselect all --> Start Execute

Creation of a new tables group

dummyGrp1 Create

Tables groups list

Emaj_web : tables group details

PostgreSQL 9.5.10 running on localhost:5432 -- You are logged in as user "postgres" SQL | History | Logout

Emaj_web: PostgreSQL: emaj_220: E-Maj:

[Properties](#)
[Log statistics](#)
[Content](#)

09:20:55 E-Maj 2.2.0 - Tables group "myGroup1" properties and marks

Tables group "myGroup1" properties

State	Creation date/time	# tables	# sequences	Type	# marks	Log size
	2017-12-14 15:52:33.065525+01	5	1		3	160 kB

Comment : Useless comment!

[Stop](#) | [Set a mark](#) | [Alter](#) | [Protect](#) | [Set a comment](#)

Tables group "myGroup1" marks

Mark	Date/Time	State	# row updates	Cumulative updates	Actions						Comment
					Rollback	Rename	Delete	First mark	Protect	Set a comment	
MARK3	2017-12-14 15:52:33.552386+01		0	0	Rollback	Rename	Delete	First mark	Protect	Set a comment	
MARK2	2017-12-14 15:52:33.504214+01		7	7	Rollback	Rename	Delete	First mark	Protect	Set a comment	End of 1st program
MARK1	2017-12-14 15:52:33.396047+01		19	26	Rollback	Rename	Delete		Protect	Set a comment	

Tables group properties and marks list

Current limitations

- Since E-Maj 2.2, the minimum required PostgreSQL version is **9.2**
- Every application table belonging to a rollbackable group needs a **PRIMARY KEY**
- Table **TRUNCATE** statements cannot be canceled
- **DDL** statement cannot be managed by E-Maj

To conclude...

- Many more **informations** in the documentation and in the README et CHANGES files
- Many thanks for their help to :
 - Andreas Scherbaum, Jean-Paul Argudo and the Dalibo team, CNAF DBA, Don Levine (for the english translation)
 - People who already contacted me for comments, requests...
- Feel free to give any **feedback** through github or email (phb.emaj@free.fr)